# NYS Department of Health COVID-19 Vaccination Program Ordering Guidance for the COVID-19 Vaccine for Young Children June 2, 2022

# ALERT: Pre-Orders Open in NYSIIS Friday, June 3, 2022, for COVID-19 Vaccine for Young Children

Two COVID-19 vaccine products for young children are nearing the final stages of the Emergency Use Authorization (EUA) process. Pfizer-BioNTech is submitting data on a THREE-dose primary series for a vaccine for children ages six months through FOUR years of age (6m–4y). Moderna is submitting data on a TWO-dose primary series for children ages six months through FIVE years of age (6m–5 y). The authorization is a multi-step clinical and regulatory process, and no vaccine can be administered until the final recommendation is issued by the CDC Director, Dr. Walensky. In preparation, this guidance includes details about BOTH products.

Providers in New York City should follow instructions from NYCDOHMH and CIR.

<u>Pharmacy providers</u> enrolled in the Federal Retail Pharmacy Program should follow instructions from CDC. Please note: The PREP Act Declaration authorizes certain providers listed in the Declaration to administer vaccines regardless of state requirements. For example, the Declaration authorizes pharmacists, pharmacy interns and pharmacy technicians nationwide to order and/or administer COVID-19 vaccines, influenza vaccines, and other vaccines authorized by FDA and recommended by CDC for **children three years of age or older** (Please see:

https://www.hhs.gov/sites/default/files/prep-act-guidance.pdf).

#### **Anticipated timeline:**

- 1. The Vaccines and Related Biological Products Advisory Committee (VRBPAC) (FDA's advisory group) is scheduled to meet on Wednesday, June 15, 2022.
- 2. FDA regulatory action/EUA issued (shipment of pre-ordered vaccine could commence)
- 3. The Advisory Committee on Immunization Practices (ACIP) (CDC's advisory group) is expected to meet within several days of VRPBAC; the meeting will be posted here once scheduled: <a href="https://www.cdc.gov/vaccines/acip/index.html">https://www.cdc.gov/vaccines/acip/index.html</a>
- CDC recommendation via Dr. Walensky statement NYS providers CAN administer these
  products once this final recommendation is issued by the CDC Director, following all
  instructions contained in the latest EUA FACT SHEET FOR HEALTHCARE PROVIDERS
  ADMINISTERING VACCINE.
- 5. Clinical considerations to support operations are released.
- 6. Guidance to NYS providers is released, summarizing and amplifying the latest information.


# Important Information about Pfizer-BioNTech and Moderna COVID-19 vaccines for young children<sup>±</sup>

Info	Pfizer-BioNTech	Moderna
Age indication	6 months through 4 years*	6 months through 5 years
Shipping	Directly from Pfizer at -80° C on	From McKesson at -20° C. Shipment
	dry ice in a single-use shipper.	notification email will come from
	Shipment notification email will	<u>CDCCustomerService@McKesson.com</u>
	come from	
	Pfizer.logistics@controlant.com	
	or donotreply@pfizer.com	
Storage after	Up to 12 months from	Until expiration at standard freezer
received	manufacture date at ultra-cold	temperatures -50°C to -15°C
	temperatures of -90°C to -60°C	(-58°F to 5°F). Expiration dates found at
	OR	https://eua.modernatx.com/covid19vaccine-
	Up to 10 weeks at refrigerated	eua/providers/vial-lookup
	temperatures of 2°C to 8°C	OR
	(36°F to 46°F).	Up to 30 days at refrigerated temperatures
	NOTE: <b>NO</b> standard freezer	of 2°C to 8°C (36°F to 46°F)
	storage is approved for this	
	formulation.	
Vial caps/labels	Maroon cap and vial labels with	Blue cap vial
	maroon border	
Dose	3 micrograms/0.2mL	25 micrograms/0.25mL
Series	3 dose primary series	2 dose primary series
Dilution	2.2 mL (diluent provided in	Not required
	ancillary kit)	
Ordering NDC	59267-0078-04	80777-0279-99
Packaging	10-dose vials in cartons of 10	10-dose vials in cartons of 10 vials each
configuration	vials each	
Minimum order	100 doses	100 doses
quantity		
Post-puncture	Use/discard within 12 hours**	Use/discard within 12 hours

<sup>&</sup>lt;sup>±</sup>This information is current as of June 2, 2022, and subject to change. Always follow the most current Emergency Use Authorization (EUA) Fact Sheet for Health Care Providers for updates.

<sup>\*</sup>Maroon Cap vial labels and cartons may state 2 years to <5 years of age or 6 months through 4 years of age. Vials with labels that state for use in individuals 2 years to <5 years of age <u>can</u> be used for individuals 6 months through 4 years of age.

<sup>\*\*</sup>Maroon Cap vial labels and cartons may state that a vial should be discarded 6 hours after the first dilution. The information in the EUA Fact Sheet (12 hours) <u>supersedes</u> the number of hours printed on vial labels and cartons.



# Comparison of current Pfizer-BioNTech COVID-19 Vaccine Products

# Pfizer-BioNTech COVID-19 Vaccine Products

PRELIMINARY – SUBJECT TO CHANGE PENDING REGULATORY GUIDANCE AND AUTHORIZATION/APPROVAL; CDC DOCUMENT – SHARED FOR JURISDICTIONAL PLANNING PURPOSES ONLY

	Current Products		Future Product
Age Indications <sup>a</sup>	12 years and older	5 through 11 years	6 months through 4 yearsd
Vial Cap Color and Label with Color Border	GRAY	ORANGE	MAROON
Preparation	Do Not Dilute	Dilute Before Use	Dilute Before Use
Amount of Diluent Needed per Vial <sup>b</sup>	Do Not Dilute	1.3 mL	2.2 mL
Dose Volume/Dose	0.3 mL/ <b>30 mcg</b>	0.2 mL/ <b>10 mcg</b>	0.2 mL/ <b>3 mcg</b>
Doses per Vial	6 doses per vial	10 doses per vial (after dilution)	10 doses per vial (after dilution)
	Storage Conditions		
<b>ULT Freezer</b> (-90°C to -60°C)°	12 months	12 months	12 months
Freezer (-25°C to -15°C)	DO NOT STORE	DO NOT STORE	DO NOT STORE
Refrigerator (2°C to 8°C)	10 weeks	10 weeks	10 weeks
Room Temperature (8°C to 25°C)	12 hours prior to first puncture (including any thaw time)	12 hours prior to first puncture (including any thaw time)	12 hours prior to first puncture (including any thaw time)
After First Puncture (2°C to 25°C)	Discard after 12 hours	Discard after 12 hours	Discard after 12 hours

<sup>\*</sup>Use the appropriate product based on the age of the recipient. billiuent: Sterile 0.9% Sodium Chloride Injection, USP. Do not use bacteriostatic 0.9% Sodium Chloride Injection or any other diluent.

Regardless of storage condition, vaccines should not be used after 9 months from the date of manufacture printed on the vial and cartons.

The vaccine is currently under emergency use authorization review by the Food and Drug Administration (FDA) for children 6 months through 4 years old.

# **Important Ordering Information**

- To ensure efficient rollout of this vaccine supply, CDC is allowing pre-ordering of vaccines.
   Providers may begin to place their Pfizer-BioNTech COVID-19 vaccine orders for ages 6m-4y and Moderna COVID-19 vaccine orders for 6m-5y in NYSIIS on Friday, June 3, 2022.
- Wave 1 pre-orders: It is anticipated that orders entered in NYSIIS between June 3<sup>rd</sup> and June 7<sup>th</sup> will deliver on Monday, June 20<sup>th</sup>.
  - IMPORTANT: June 20<sup>th</sup> is the observance of the Juneteenth holiday. If you place your order in wave 1 you must be available to accept vaccine delivery on June 20<sup>th</sup>.
  - You must add an order note in NYSIIS indicating whether you will be able to accept delivery on June 20<sup>th</sup>. Without confirmation that you will be available to accept delivery on June 20<sup>th</sup> your order will not be sent to CDC until wave 2.
- Wave 2 pre-orders: Orders placed between June 8<sup>th</sup> and June 13<sup>th</sup> should <u>begin</u> delivering June 21<sup>st</sup> (see Anticipated Order and Delivery Timeline below). If you will not be open/available to accept delivery on June 20<sup>th</sup>, please wait until June 8<sup>th</sup> to place your pre-order.
- You may order each product if you want to offer brand choice. Pay close attention to storage and handling and administration differences.
- Place your pre-orders <u>separate</u> from ALL other COVID and non-COVID vaccine orders. If you want to pre-order both products you may include them on the same order.
- Shipment of COVID-19 vaccine for young children is planned to begin once FDA issues the EUA. However, vaccine administration can only begin following the CDC recommendation.
- Minimum ordering quantities will be 100 doses (10 vials). Providers are <u>strongly encouraged</u> to <u>directly order</u> this product rather than rely on redistribution.
- New York State has a limited quantity of doses available for ordering in the pre-order period.
   Please limit your order to what you anticipate administering in the first 3 weeks after approval (or minimum order quantity, whichever is larger).
- Responsible wastage policies remain in effect. Providers should plan to minimize waste to the best of their ability but should not miss the opportunity to vaccinate a willing individual, even if it results in other wasted doses.
- There is no limit on frequency of orders placed <u>after</u> the pre-order period (i.e., after June 20<sup>th</sup>) and will take approximately one week to deliver.

# **Anticipated Order and Delivery Timeline\***

Date Order Placed in NYSIIS	Anticipated Delivery Date	
Friday June 3 <sup>rd</sup> to Tuesday June 7 <sup>th</sup> by <b>3PM</b>	Monday, June 20, 2022	
(must add note indicating availability for 6/20 delivery)	(Federal Holiday)	
Tuesday June 7 <sup>th</sup> after 3PM to Monday June 13 <sup>th</sup> by 3PM	Beginning Tuesday, June 21, 2022*	
Monday June 20 <sup>th</sup> or later	Approximately one week after order	
	placed in NYSIIS	

<sup>\*</sup> Based upon current CDC planning assumptions. Exact delivery date will depend on total orders received (nationally) and may take several days for all pre-orders to deliver. Orders are shipped in the order they are received by CDC. **Do not schedule appointments until you receive your shipping notification email from Pfizer or McKesson.** Creating a call or wait list is acceptable and encouraged.

#### How to Place Pediatric COVID-19 Vaccine Order in NYSIIS


(Providers in New York City should follow instructions from NYCDOHMH and CIR.)

Step 1: Navigate to the Manage Orders screen and click Create Order.



The pediatric COVID-19 vaccines for young children (Pfizer-BioNTech COVID-19 for 6m-4y and Moderna COVID-19 for 6m-5y) will appear under Pediatric Intention list. If you are also enrolled with Vaccines for Children (VFC), you will see these vaccines among the other vaccines in your Pediatric Intentions, listed alphabetically by trade name.

It is important to place PRE-ORDERS <u>separate</u> from all other vaccine orders (including all other COVID-19 vaccines, VFC, VFA, and influenza).



Step 2: Enter the number of doses in 100-dose increments in the Doses Ordered box.

- Pfizer-BioNTech COVID-19 vaccine for 6m-4y must be entered under the NDC 59267-0078-04 highlighted above in yellow. Select carefully since the Pfizer orange cap for 5 to 11 year-olds is also listed under pediatric intention.
- Moderna COVID-19 vaccine for 6m-5y must be entered under the NDC 80777-0279-99
  highlighted above in blue. This NDC is listed under the Pediatric Intention section compared
  to the current formulation for adults.
- If you enter an amount that is not in 100 dose increments NYSIIS will round up to the next multiple upon saving.

Step 3: Add any relevant order notes in the text box located above the Orderable Vaccines table. If you are pre-ordering prior to June 8<sup>th</sup>, you must add an order note indicating whether you will be available for delivery June 20<sup>th</sup>. If you are placing a large order (over 300 doses), it is always helpful to add order notes with information about your vaccination plans.

Step 4: Check the Inventory Verified box – be sure your NYSIIS inventory accurately reflect actual doses on hand!!

Step 5: Click Save & Submit.

Note: If you only click Save button, your order will not be submitted to the Vaccine Program for review.